

## **Durham Tweed**

HUGH MACKAY
The Mackay Group

From Country Retreat to Urban Chic



# **Durham Tweed**



Choose from 16 colours







### Durham Tweed

### Specification Details

Specification	
Pile Content:	80% Wool, 10% Polypropylene, 10% Meltbond
Construction:	1/8th Gauge. Tufted
Backing:	Action Back
Width:	4 & 5 Metre
Pile Weight:	1550gr/m2 (45oz yd2)
Pile Height:	9mm
Origin:	UK
Warranty:	10 Years Wear
Tog:	1.73

#### Tested for:

Suitability

45oz: Heavy Domestic / Medium Contract.

Suitability for Stairs

Yes, in domestic locations. Use an approved stair nosing in contract locations.

Flammability

BS4790 (Hot metal nut): BS5287 Methenamine pill: BS ISO6925

Nordic Fire Test (NT007): The carpet meets the requirement of Class L - Nordic Minstry of the Environment DIN4102 part 1 (IFB) - Class B1

Insect Resistant:

Yes

Static Propensity

Low Propensity to static down to 40% RH

#### **Features**

Available in 4 & 5m rolls.

Regular Nationwide delivery service.

#### **General Information**

#### Pile reversal:

All cut pile carpets can suffer from pile reversal and in certain instances this may become permanently bent or distorted for no specific reason that research has yet identified, giving areas of light and shade. This is also known as 'shading' or 'watermarking'. It is not a defect in manufacture, it only occurs in a small percentage of all carpets and no liability whatsoever can be accepted by the manufacturer in respect of it.

#### Pile pressure:

All cut pile carpets are liable to show light and dark patches resulting from disturbance of the pile created by foot traffic or brushing, This is a normal feature and is not a defect in manufacture and no liability whatsoever can be accepted by the manufacturer in respect of it.

#### Pale shades:

We include within our collection a number of pale shades. Primarily these are used as top or highlight colours. These more delicate shades will invariably tend to soil more quickly and give a lower of light fastness than the norm, and may show natural blemishes within the fibre that tend to be masked in deeper shades containing a greater quantity of dyestuff.

#### Maintenance

Hugh Mackay recommend that this carpet is maintained in accordance with an agreed maintenance schedule which should include the following:

i). Vacuum regularly. ii). Remove spills immediately. iii). Professionally clean as required.

#### Installation

To be installed in accordance with BS5323 'Code of Practice for the Installation of Floor Coverings' and NICF manual.

Pattern match cannot be guaranteed with any tufted patterned carpet. For quantity orders requiring colour matching, please state at the time of ordering. All samples may not be from the same production batch as current stock and therefore should be used as a guide and not as an exact match.

Colour variations: There may be colour variations/shade variations between each batch of carpet as well as with undyed materials.

*Undyed Wool:* Due to the inherent natural variations in undyed wool and the current blending techniques, there may be noticeable shade variations between the colours used in the same material and the actual production.

Hugh Mackay Carpets
Part of The Mackay Group
T: 01429 89255
F; sales@hughmackay.co.uk
www.hughmackay.co.uk

